

References

(本文中の番号ルビに対応)

【第 1 章】

(1) Development of the children's eating behaviour questionnaire. *J Child Psychol Psychiatry* 2001; 42: 963–970.

(2) Development and factor structure of the Baby Eating Behaviour Questionnaire in the Gemini birth cohort. *Appetite* 2011; 57: 388–396.

(3) Continuity and stability of eating behaviour traits in children. *Eur J Clin Nutr* 2008; 62: 985–990.

(4) The NOURISH randomised control trial: positive feeding practices and food preferences in early childhood - a primary prevention program for childhood obesity. *BMC Public Health* 2009; 9: 387.

Child eating behavior outcomes of an early feeding intervention to reduce risk indicators for child obesity: the NOURISH RCT. *Obesity* 2014; 22: e104–e111.

Child dietary and eating behavior outcomes up to 3.5 years after an early feeding intervention: The NOURISH RCT. *Obesity* 2016; 24: 1537–1545.

- (5) Picky/fussy eating in children: review of definitions, assessment, prevalence and dietary intakes. *Appetite* 2015; 95: 349–359.
- (6) Appetite and growth: a longitudinal sibling analysis. *JAMA Pediatr* 2014; 168: 345–350.
- (7) Appetite and adiposity in children: evidence for a behavioral susceptibility theory of obesity. *Am J Clin Nutr* 2008; 88: 22–29.
- Appetitive behaviours of children attending obesity treatment. *Appetite* 2011; 57: 525–529.
- Do maternal ratings of appetite in infants predict later Child Eating Behaviour Questionnaire scores and body mass index? *Appetite* 2010; 54: 186–190.
- The Children’s Eating Behaviour Questionnaire: factorial validity and association with Body Mass Index in Dutch children aged 6-7. *Int J Behav Nutr Phys. Act* 2008; 5: 49.
- Examining behavioural susceptibility to obesity among Canadian pre-school children: The role of eating behaviours. *Int J Pediatr Obes* 2011; 6: e501–e507.
- Children’s Eating Behaviour Questionnaire: associations with BMI in Portuguese children. *Br J Nutr* 2008; 100: 445–450.
- Eating behaviour and weight in children. *Int J Obes* 2009; 33: 21–28.
- (8) The extent of food advertising to children on UK television in 2008. *Int J Pediatr Obes* 2011; 6: 455–461.
- (9) Advertising as a cue to consume: a systematic review and meta-analysis of the effects of acute exposure to unhealthy food and nonalcoholic beverage advertising on intake in children and adults. *Am J Clin Nutr* 2016; 103: 519–533.
- (10) Appetitive traits and food intake patterns in early life. *Am J Clin Nutr* 2016; 103: 231–235.
- (11) 同上。
- (12) Nature and nurture in infant appetite: analysis of the Gemini twin birth cohort. *Am J Clin Nutr* 2010; 91: 1172–1179.
- (13) Central nervous system control of food intake. *Nature* 2000; 404: 661–671.
- (14) Defining the neural basis of appetite and obesity: from genes to behaviour. *Clin Med (Lond)* 2014; 14: 286–289.
- Unravelling the brain regulation of appetite: lessons from genetics. *Nat Neurosci* 2012; 15: 1343–1349.
- (15) The home environment shapes emotional eating. *Child Dev* 2018.

Emotional over- and under-eating in early childhood are learned not inherited. *Sci Rep* 2017; 7: 9092.

(16) Emotional feeding and emotional eating: reciprocal processes and the influence of negative affectivity. *Child Dev* 2017.

(17) Global and regional mortality from 235 causes of death for 20 age groups in 1990 and 2010: a systematic analysis for the Global Burden of Disease Study 2010. *Lancet* 2012; 380: 2095–2128.

(18) The role of nutrition in brain development: The golden opportunity of the “First 1000 Days”. *J Pediatr* 2016; 175: 16–21.

Early nutrition and long-term health: a practical approach: Symposium on ‘Early nutrition and later disease: current concepts, research and implications’. *Proc Nutr Soc* 2009; 68: 422–429.

(19) The role of nutrition in brain development: The golden opportunity of the “First 1000 Days”. *J Pediatr* 2016; 175: 16–21.

(20) Early nutrition and long-term health: a practical approach: Symposium on ‘Early nutrition and later disease: current concepts, research and implications’. *Proc Nutr Soc* 2009; 68: 422–429.

(21) The sweetness and bitterness of childhood: Insights from basic research on taste preferences. *Physiol Behav* 2015; 152, 502–507.

(22) Are there sensitive periods for food acceptance in infancy? *Curr Nutr Rep* 2017; 6: 190–196.

(23) Nature and nurture in children’s food preferences. *Am J Clin Nutr* 2014; 99: 911–917.

(24) The importance of exposure for healthy eating in childhood: A review. *J Hum Nutr Diet* 2007; 20: 294–301.

(25) Understanding the basic biology underlying the flavor world of children. *Curr Zool* 2010; 56: 834–841.

(26) Garlic ingestion by pregnant women alters the odor of amniotic fluid. *Chem Senses* 1995; 20: 207–209.

(27) Infant salt preference and mother’s morning sickness. *Appetite* 1998; 30: 297–307.

(28) Understanding the basic biology underlying the flavor world of children. *Curr Zool* 2010; 56: 834–841.

【PART 1】

(1) Effect of women’s nutrition before and during early pregnancy on maternal and infant outcomes: a systematic review. *Paediatr*

Perinat Epidemiol 2012; 26: 285–301.

【第2章】

- (2) 同上。
- (3) A review of the impact of dietary intakes in human pregnancy on infant birthweight. *Nutrients* 2014; 7: 153–178.
- (4) Developmental programming of appetite/satiety. *Ann Nutr Metab* 2014; 64: 36–44.
- (5) Developmental and epigenetic pathways to obesity: an evolutionary-developmental perspective. *Int J Obes* 2008; 32: S62–S71.
Fetal programming from maternal obesity: eating too much for two? *Endocrinology* 2008; 149: 5345–5347.
- (6) Garlic ingestion by pregnant women alters the odor of amniotic fluid. *Chem Senses* 1995; 20: 207–209.
- (7) Prenatal and postnatal flavor learning by human infants. *Pediatrics* 2001; 107: e88.
- (8) Nutritional Support in Obstetrics and Gynecology. *Clin Obstet Gynecol* 1976; 19: 489–513.
- (9) Gestational weight gain. *Am J Obstet Gynecol* 2017; 217: 642–651.
- (10) 同上。
- (11) The International Federation of Gynecology and Obstetrics (FIGO) recommendations on adolescent, preconception, and maternal nutrition: “Think Nutrition First”. *Int J Gynecol Obstet* 2015; 131: S213–S253.
- (12) Effects of low-glycemic-index diets in pregnancy on maternal and newborn outcomes in pregnant women: a meta-analysis of randomized controlled trials. *Eur J Nutr* 2018; 57: 167–177.
- (13) Dietary fiber intake, dietary glycemic load, and the risk for gestational diabetes mellitus. *Diabetes Care* 2006; 29: 2223–2230.
Dietary fiber intake in early pregnancy and risk of subsequent preeclampsia. *Am J Hypertens* 2008; 21: 903–909.
- (14) Maternal and Child Nutrition. Public health guideline [PH11] *National Institute for Health and Care Excellence*. (オンライン情報、2018年2月アクセス)
- (15) Vitamin D status during pregnancy: maternal, fetal and postnatal outcomes. *Curr Opin Obstet Gynecol* 2011; 23: 422–426.

- (16) Vitamin A. Present knowledge in nutrition (9th Edition). *International Life Science Institute* 2006; 157–183.
- (17) Maternal iron status: relation to fetal growth, length of gestation and the neonate's iron endowment. *Nutr Rev* 2011; 69: S23–S29.
- (18) Eating well for a healthy pregnancy: a practical guide. *First Steps Nutrition Trust* 2017. (オンライン情報、2018年2月アクセス)
- (19) The International Federation of Gynecology and Obstetrics (FIGO) recommendations on adolescent, preconception, and maternal nutrition: “Think Nutrition First”. *Int J Gynecol Obstet* 2015; 131:S213–S253.
- (20) SACN Carbohydrates and Health Report. *The Stationery Office* 2015. (オンライン情報、2018年2月アクセス)
- (21) SACN Salt and health. *The Stationery Office* 2003. (オンライン情報、2018年2月アクセス)
- (22) Toxoplasmosis in pregnancy: prevention, screening and treatment. *J Obstet Gynecol Can* 2013; 35: 78–81.
- (23) Environmental exposures and adverse pregnancy outcomes: a review of the science. *Reprod Sci* 2008; 15: 631–650.
- (24) Caffeine intake during pregnancy and adverse birth outcomes: a systematic review and dose-response meta-analysis. *Eur J Epidemiol* 2014; 29: 725–734.
- (25) Foetal alcohol syndrome. *NHS Choices* 2017. (オンライン情報、2018年2月アクセス)
- (26) Guidelines for pregnancy: what's an acceptable risk, and how is the evidence (finally) shaping up? *Drug Alcohol Rev* 2012; 31: 170–183.
- (27) Effective techniques in healthy eating and physical activity interventions: a meta-regression. *Health Psychol* 2009, 28, 690–701.
- State of the evidence regarding behavior change theories and strategies in nutrition counseling to facilitate health and food behavior change. *J Am Diet Assoc* 2010, 110, 879–891.
- A systematic review investigating healthy lifestyle interventions incorporating goal setting strategies for preventing excess gestational weight gain. *PloS One* 2012, 7, e39503.
- (28) The effect of electronic self-monitoring on weight loss and dietary intake: a randomized behavioral weight loss trial. *Obesity* 2011; 19: 338–344.
- (29) Morning sickness: a mechanism for protecting mother and embryo. *Q Rev Biol* 2000; 75: 113–148.

- Nausea and vomiting of pregnancy: an evidence-based review. *J Perinat Neonatal Nurs* 2004; 18: 312–328.
- (30) 同上。
- (31) Interventions for nausea and vomiting in early pregnancy. *Cochrane Database Syst Rev* 2015; 9: CD007575.
- (32) Dietary cravings and aversions during pregnancy. *Am J Clin Nutr* 1978; 31: 1355–1362.
- Influence of cravings and aversions on diet in pregnancy. *Ecol Food Nutr* 1985; 17: 117–129.
- Cravings and aversions of pregnant adolescents. *J Am Diet Assoc* 1992; 92: 1479–1482.
- Food cravings and aversions during pregnancy: relationships with nausea and vomiting. *Appetite* 2002; 38: 45–51.
- Food cravings and aversions during pregnancy: a current snapshot. *J Ped Mother Care* 2017; 2: 110.
- (33) 同上。
- (34) Effect of diet and physical activity based interventions in pregnancy on gestational weight gain and pregnancy outcomes: meta-analysis of individual participant data from randomised trials. *BMJ* 2017; 358: j3119.
- (35) Weight management before, during and after pregnancy. Public health guideline [PH27]. *National Institute for Health and Care Excellence* 2010. (オンライン情報、2018年2月アクセス)
- (36) Your pregnancy and baby guide: exercise in pregnancy. *NHS Choices* 2017. (オンライン情報、2018年2月アクセス)

【第3章】

- (1) Infant feeding recommendation. *Department of Health* 2003. (オンライン情報、2018年2月アクセス)
- Infant and young child nutrition: global strategy on infant and young child feeding. *World Health Organization* 2002. (オンライン情報、2018年2月アクセス)
- (2) Early nutrition in preterm infants and later blood pressure: two cohorts after randomised trials. *Lancet* 2001; 357: 413–419.
- (3) Promotion of Breastfeeding Intervention Trial (PROBIT): a randomized trial in the Republic of Belarus. *JAMA* 2001; 285: 413–420.

- (4) Breastfeeding and maternal and infant health outcomes in developed countries: Evidence Reports/Technology Assessment, No. 153. *Agency for Healthcare Research and Quality* 2007; 07-E007. (オンライン情報、2018年2月アクセス)
- (5) The role of breastfeeding in sudden infant death syndrome. *J Hum Lact* 2000; 16: 13–20.
- (6) Short-term effects of breastfeeding: a systematic review on the benefits of breastfeeding on diarrhoea and pneumonia mortality. *World Health Organization* 2013.
- (7) Breastfeeding and childhood acute otitis media: a systematic review and meta-analysis. *Acta Paediatr* 2015; 104: 85–95.
- (8) Breastfeeding and childhood leukemia incidence: a meta-analysis and systematic review. *JAMA Pediatr* 2015; 169: e151025.
- (9) Long-term consequences of breastfeeding on cholesterol, obesity, systolic blood pressure and type 2 diabetes: a systematic review and meta-analysis. *Acta Paediatr* 2015; 104: 30–37.
- (10) What are the causal effects of breastfeeding on IQ, obesity and blood pressure? Evidence from comparing high-income with middle-income cohorts. *Int J Epidemiol* 2011; 40: 670–680.
- (11) Comparing maternal and paternal intergenerational transmission of obesity risk in a large population-based sample. *Am J Clin Nutr* 2010; 91: 1560–1567.
- (12) Later development of breast fed and artificially fed infants: comparison of physical and mental growth. *JAMA* 1929; 92: 615–619.
- (13) Effects of exclusive breastfeeding for four versus six months on maternal nutritional status and infant motor development: results of two randomized trials in Honduras. *J Nutr* 2001; 131: 262–267.
- Duration of breastfeeding and developmental milestones during the latter half of infancy. *Acta Paediatr* 1999; 88: 1327–1332.
- (14) Breastfeeding and intelligence: a systematic review and meta-analysis. *Acta Paediatr* 2015; 104: 14–19.
- (15) Breastfeeding and child cognitive development: new evidence from a large randomized trial. *Arch Gen Psychiatry* 2008; 65: 578–584.
- (16) Breast milk and subsequent intelligence quotient in children born preterm. *Lancet* 1992; 339: 261–264.
- (17) Long-term effects of breast-feeding in a national birth cohort: educational attainment and midlife cognitive function. *Public Health*

Nutr 2002; 5: 631–635.

Breast feeding in infancy and social mobility: 60-year follow-up of the Boyd Orr cohort. *Arch Dis Child* 2007; 92: 317–321.

(18) Breastfeeding and school achievement in Brazilian adolescents. *Acta Paediatr* 2005; 94: 1656–1660.

Association between breastfeeding and intelligence, educational attainment, and income at 30 years of age: a prospective birth cohort study from Brazil. *Lancet Glob Health* 2015; 3: e199–e205.

(19) The plight of nuns: hazards of nulliparity. *Lancet* 2012; 379: 2322–2323.

(20) Breastfeeding and maternal health outcomes: a systematic review and meta-analysis. *Acta Paediatr* 2015; 104: 96–113.

(21) Statistics by cancer type. *Cancer Research UK* 2014. (オンライン情報、2018年2月アクセス)

(22) Breastfeeding and maternal health outcomes: a systematic review and meta-analysis. *Acta Paediatr* 2015; 104: 96–113.

(23) Breastfeeding and the maternal risk of type 2 diabetes: a systematic review and dose-response meta-analysis of cohort studies. *Nutr Metab Cardiovasc Dis* 2014; 24: 107–115.

(24) Persistent effects of women's parity and breastfeeding patterns on their body mass index: results from the Million Women Study. *Int J Obes* 2013; 37: 712–717.

(25) Infant feeding survey 2010. *Health and Social Care Information Centre* 2012. (オンライン情報、2018年2月アクセス)

(26) 同上。

(27) Biomechanics of milk extraction during breast-feeding. *Proc Natl Acad Sci USA* 2014; 111: 5230–5235.

(28) The Complete Book of Breast Care. *Fawcett* 1998.

(29) The effect of breastfeeding on breast aesthetics. *Aesthet Surg J* 2008; 28: 534–537.

(30) Waking at night: the effect of early feeding experience. *Child Care Health Dev* 1983; 9: 309–319.

Sleep/wake patterns of breast-fed infants in the first 2 years of life. *Pediatrics* 1986; 77: 322–329.

Interaction between feeding method and co-sleeping on maternal-newborn sleep. *J Obstet Gynecol Neonatal Nurs* 2004; 33: 580–588.

Breastfeeding patterns in exclusively breastfed infants: a longitudinal prospective study in Uppsala, Sweden. *Acta Paediatr* 1999; 88:

203–211.

Breastfeeding and infant sleep patterns: an Australian population study. *J Paediatr Child Health* 2013; 49: e147–e152.

(31) Infant sleep and night feeding patterns during later infancy: association with breastfeeding frequency, daytime complementary food intake, and infant weight. *Breastfeed Med* 2015; 10: 246–252.

(32) Breast-feeding increases sleep duration of new parents. *J Perinat Neonatal Nurs* 2007; 21: 200–206.

Behavioral sleep interventions in the first six months of life do not improve outcomes for mothers or infants: a systematic review. *J Dev Behav Pediatr* 2013; 34: 497–507.

Infant feeding methods and maternal sleep and daytime functioning. *Pediatrics* 2010; 126: e1562–e1568.

(33) The effect of feeding method on sleep duration, maternal well-being, and postpartum depression. *Clin Lact* 2011; 2: 22–26.

(34) Infant sleep and night feeding patterns during later infancy: association with breastfeeding frequency, daytime complementary food intake, and infant weight. *Breastfeed Med* 2015; 10: 246–252.

(35) Breastmilk and breastfeeding: A simple guide. *First Steps Nutrition Trust* 2014. (オンライン情報、2018年2月アクセス)

(36) Is the macronutrient intake of formula-fed infants greater than breast-fed infants in early infancy? *J Nutr Metab* 2012; 891201.

(37) How breastfeeding works. *J Midwifery Womens Health* 2007, 52: 564–570.

(38) Mechanisms underlying the association between breastfeeding and obesity. *Int J Pediatr Obes* 2009; 4: 196–204.

Programming of appetite control during breastfeeding as a preventative strategy against the obesity epidemic. *J Hum Lact* 2014; 30: 136–142.

(39) Ghrelin, leptin and IGF-I levels in breast-fed and formula-fed infants in the first years of life. *Acta Paediatr* 2005; 94: 531–537.

Update on breast milk hormones: leptin, ghrelin and adiponectin. *Clin Nutr ESPEN* 2008; 27: 42–47.

Presence of obestatin in breast milk: relationship among obestatin, ghrelin, and leptin in lactating women. *Nutrition* 2008; 24: 689–693.

(40) Leptin is not present in infant formulas. *J Endocrinol Invest* 2003; 26: 490.

(41) Programming of appetite control during breastfeeding as a preventative strategy against the obesity epidemic. *J Hum Lact* 2014;

30: 136–142.

(42) 同上。

(43) Prenatal and postnatal flavor learning by human infants. *Pediatrics* 2001; 107: e88.

(44) Understanding the basic biology underlying the flavor world of children. *Curr Zool* 2010; 56: 834–841.

(45) Demographic, familial and trait predictors of fruit and vegetable consumption by pre-school children. *Public Health Nutr* 2004; 7: 295–302.

Infant nutrition in relation to eating behaviour and fruit and vegetable intake at age 5 years. *Br J Nutr* 2013; 109: 564–571.

Predictors and consequences of food neophobia and pickiness in young girls. *J Am Diet Assoc* 2003; 103: 692–698.

(46) 同上。

【第4章】

(1) Infant sleep and night feeding patterns during later infancy: association with breastfeeding frequency, daytime complementary food intake, and infant weight. *Breastfeed Med* 2015; 10: 246–252.

(2) Infant milks in the UK: a practical guide for health professionals – December 2017. *First Steps Nutrition Trust* 2017. (オンライン情報、2018年2月アクセス)

(3) Infant feeding survey 2010. *Health and Social Care Information Centre* 2012. (オンライン情報、2018年2月アクセス)

【第5章】

(1) Appetite and growth: a longitudinal sibling analysis. *JAMA Pediatr* 2014; 168: 345–350.

(2) Nature and nurture in infant appetite: analysis of the Gemini twin birth cohort. *Am J Clin Nutr* 2010; 91: 1172–1179.

- (3) Is the macronutrient intake of formula-fed infants greater than breast-fed infants in early infancy? *J Nutr Metab* 2012; 89:1201.
- (4) Breastfeeding and Human Lactation (4th Edition). *Jones & Bartlett Publishers* 2014.
- (5) Infant feeding behavior: development in patterns and motivation. *Dev Psychobiol* 1996; 29: 563–576.
- (6) Do infants fed directly from the breast have improved appetite regulation and slower growth during early childhood compared with infants fed from a bottle? *Int J Behav Nutr Phys Act* 2011; 8: 89.
- (7) Risk of bottle-feeding for rapid weight gain during the first year of life. *Arch Pediatr Adolesc Med* 2012; 166: 431–436.
- (8) Do infants fed from bottles lack self-regulation of milk intake compared with directly breastfed infants? *Pediatrics* 2010; 125: e1386–e1393.
- (9) Infant self-regulation of breast milk intake. *Acta Paediatr Scand* 1986; 75: 893–898.
- (10) Association between bottle size and formula intake in 2-month-old infants. *Academic Pediatrics* 2016; 16: 254–259.
- (11) Bottle size and weight gain in formula-fed infants. *Pediatrics* 2016; 138: e20154538.
- (12) Plate size and children's appetite: effects of larger dishware on self-served portions and intake. *Pediatrics* 2013; 131: e1451–e1458.
- (13) A pilot study comparing opaque, weighted bottles with conventional, clear bottles for infant feeding. *Appetite* 2015; 85: 178–184.
- (14) Educational intervention to modify bottle-feeding behaviors among formula-feeding mothers in the WIC program: impact on infant formula intake and weight gain. *J Nutr Educ Behav* 2008; 40: 244–250.
- Maternal perceptions of infant hunger, satiety and pressuring feeding styles in an urban Latina WIC population. *Acad Pediatr* 2010; 10: 29–35.
- Association of breastfeeding intensity and bottle-emptying behaviors at early infancy with infants' risk for excess weight at late infancy. *Pediatrics* 2008; 122(Suppl. 2): S77–S84.
- (15) Associations between breastfeeding and maternal responsiveness: a systematic review of the literature. *Adv Nutr* 2017; 8: 495–510.
- (16) Bottle-feeding practices during early infancy and eating behaviors at 6 years of age. *Pediatrics* 2014; 134: S70–S77.
- (17) Complementary feeding: a position paper by the European Society for Paediatric Gastroenterology, Hepatology, and Nutrition

- (ESPGHAN) committee on nutrition. *J Pediatr Gastroenterol Nutr* 2017; 64: 119–132.
- (18) The Intervention Nurses Start Infants Growing on Healthy Trajectories (INSIGHT) study. *BMC Pediatr* 2014; 14: 184.
Effect of the INSIGHT responsive parenting intervention on rapid infant weight gain and overweight status at age 1 year: a randomized clinical trial. *JAMA Pediatr* 2016; 170: 742–749.
- (19) Infant eating behaviors and risk for overweight. *JAMA* 2016; 316: 2036–2037.
- (20) Parental control over feeding in infancy. Influence of infant weight, appetite and feeding method. *Appetite* 2015; 91: 101–106.
- (21) Maternal feeding practices and fussy eating in toddlerhood: a discordant twin analysis. *Int J Behav Nutr Phys Act* 2016; 13: 81.
- (22) Food neophobia and ‘picky/fussy’ eating in children: a review. *Appetite* 2008; 50: 181–193.
Feeding and eating disorders in childhood. *Int J Eat Disord* 2010; 43: 98–111.
- (23) Communicating hunger and satiation in the first 2 years of life: a systematic review. *Matern Child Nutr* 2016; 12: 205–228.
Development of the responsiveness to child feeding cues scale. *Appetite* 2013; 65: 210–219.
- (24) Responding to infants’ hunger and satiety cues. *Health Promotion Agency* 2014.
- (25) Communicating hunger and satiation in the first 2 years of life: a systematic review. *Matern Child Nutr* 2016; 12: 205–228.
Development of the responsiveness to child feeding cues scale. *Appetite* 2013; 65: 210–219.
- (26) Managing infants who cry excessively in the first few months of life. *BMJ* 2011; 343: d7772.
- (27) Communicating hunger and satiation in the first 2 years of life: a systematic review. *Matern Child Nutr* 2016; 12: 205–228.
Development of the responsiveness to child feeding cues scale. *Appetite* 2013; 65: 210–219.
- (28) Infant crying and sleeping: helping parents to prevent and manage problems. *Prim Care* 2008; 35: 547–567.
- (29) Systematic review and meta-analysis: fussing and crying durations and prevalence of colic in infants. *J Pediatr* 2017; 185: 55–61.
- (30) The normal crying curve: what do we really know? *Dev Med Child Neurol* 1990; 32: 356–362.
Systematic review and meta-analysis: fussing and crying durations and prevalence of colic in infants. *J Pediatr* 2017; 185: 55–61.
Excessive crying. Handbook of developmental psychopathology. *Springer* 2000; 327–350.

- (31) What is the period of PURPLE crying? *The Period of PURPLE Crying*. (オンライン情報、2018年2月アクセス)
- (32) Managing infants who cry excessively in the first few months of life. *BMJ* 2011; 343: d7772.
- (33) SIDS and other sleep-related infant deaths: evidence base for 2016 updated recommendations for a safe infant sleeping environment. *Pediatrics* 2016; 138: e20162940.
- (34) Rattling the plate—reasons and rationales for early weaning. *Health Educ Res* 2001; 16: 471–479.
- (35) Adult perception of emotion intensity in human infant cries: effects of infant age and cry acoustics. *Child Dev* 1996; 67: 3238–3249.
Decoding of baby calls: can adult humans identify the eliciting situation from emotional vocalizations of preverbal infants? *PloS One* 2015; 10: e0124317.
- (36) SIDS and other sleep-related infant deaths: evidence base for 2016 updated recommendations for a safe infant sleeping environment. *Pediatrics* 2016; 138: e20162940.
- (37) Do pacifiers reduce the risk of sudden infant death syndrome? A meta-analysis. *Pediatrics* 2005; 116: e716–e723.
- (38) Pacifiers and breastfeeding: a systematic review. *Arch Pediatr Adolesc Med* 2009; 163: 378–382.
- (39) Swaddling: a systematic review. *Pediatrics* 2007; 120: e1097–e1106.
- (40) Swaddling and the risk of Sudden Infant Death Syndrome: a meta-analysis. *Pediatrics* 2016; 137: e20153275.
- (41) SIDS and other sleep-related infant deaths: evidence base for 2016 updated recommendations for a safe infant sleeping environment. *Pediatrics* 2016; 138: e20162940.
- (42) 同上。
- (43) Early skin-to-skin contact for mothers and their healthy newborn infants. *Cochrane Database Syst Rev* 2012; 5: CD003519.
Increased carrying reduces infant crying: a randomized controlled trial. *Pediatrics* 1986; 77: 641–648.
- (44) Managing infants who cry excessively in the first few months of life. *BMJ* 2011; 343: d7772.
- (45) Common features and principles of soothing. *The Period of PURPLE Crying*. (オンライン情報、2018年2月アクセス)
- (46) Infant crying and sleeping: helping parents to prevent and manage problems. *Prim Care* 2008; 35: 547–567.

(47) Colic, “overfeeding” and the symptoms of lactose malabsorption in the breastfed baby: a possible artefact of feed management? *Lancet* 1988; 332: 382–384.

Managing infants who cry excessively in the first few months of life. *BMJ* 2011; 343: d7772.

Diagnosing gastro-oesophageal reflux disease or lactose intolerance in babies who cry a lot in the first few months overlooks feeding problems. *J Paediatr Child Health* 2013; 49: e252–e256.

(48) Diagnosing gastro-oesophageal reflux disease or lactose intolerance in babies who cry a lot in the first few months overlooks feeding problems. *J Paediatr Child Health* 2013; 49: e252–e256.

(49) Effect of the method of breast feeding on breast engorgement, mastitis and infantile colic. *Acta Paediatr* 1995; 84: 849–852.

Diagnosing gastro-oesophageal reflux disease or lactose intolerance in babies who cry a lot in the first few months overlooks feeding problems. *J Paediatr Child Health* 2013; 49: e252–e256.

(50) Diagnosing gastro-oesophageal reflux disease or lactose intolerance in babies who cry a lot in the first few months overlooks feeding problems. *J Paediatr Child Health* 2013; 49: e252–e256.

(51) Volume and frequency of breastfeedings and fat content of breast milk throughout the day. *Pediatrics* 2006; 117: e387–e395.

【第6章】

(1) Iron requirements of infants and toddlers. *J Pediatr Gastroenterol Nutr* 2014; 58: 119–129.

(2) Infant feeding survey 2010. *Health and Social Care Information Centre* 2012. (オンライン情報、2018年2月アクセス)

(3) Adequacy of milk intake during exclusive breastfeeding: a longitudinal study. *Pediatrics* 2011; 128: e907–e914.

(4) Complementary feeding: a position paper by the European Society for Paediatric Gastroenterology, Hepatology, and Nutrition (ESPGHAN) committee on nutrition. *J Pediatr Gastroenterol Nutr* 2017; 64: 119–132.

(5) Optimal duration of exclusive breastfeeding: what is the evidence to support current recommendations? *Am J Clin Nutr* 2007; 85:

635S–638S.

- (6) Age of introduction of first complementary feeding for infants: a systematic review. *BMC Pediatr* 2015; 15: 107.
- (7) Complementary feeding: a position paper by the European Society for Paediatric Gastroenterology, Hepatology, and Nutrition (ESPGHAN) committee on nutrition. *J Pediatr Gastroenterol Nutr* 2017; 64: 119–132.
- (8) Are there sensitive periods for food acceptance in infancy? *Curr Nutr Rep* 2017; 6: 190–196.
- (9) Exposure to vegetable variety in infants weaned at different ages. *Appetite* 2014; 78: 89–94.
- (10) Draft feeding in the first year of life report. Scientific consultation: 19 July to 13 September 2017. *Scientific Advisory Committee on Nutrition* 2017. (オンライン情報、2018年2月アクセス)
- (11) Delayed introduction of lumpy foods to children during the complementary feeding period affects child's food acceptance and feeding at 7 years of age. *Matern Child Nutr* 2009; 5: 75–85.
- (12) Associations of early life risk factors with infant sleep duration. *Acad Pediatr* 2010; 10: 187–193.
Infant sleep and bedtime cereal. *Am J Dis Child* 1989; 143: 1066–1068.
Age at introduction of solid foods to infants in Manitoba. *J Can Diet Assoc* 1981; 42: 72–78.

【第7章】

- (1) Parenting styles, feeding styles, feeding practices, and weight status in 4-12 year-old children: a systematic review of the literature. *Front Psychol* 2015; 6: 1849.
The role of responsive feeding in overweight during infancy and toddlerhood: a systematic review. *Int J Obes* 2011; 35: 480–492.
- (2) Food neophobia and 'picky/fussy' eating in children: a review. *Appetite* 2008; 50: 181–193.
- (3) Controlling feeding practices: cause or consequence of early child weight? *Pediatrics* 2008; 121: e164–e169.
Feeding practices and child weight: is the association bidirectional in preschool children? *Am J Clin Nutr* 2014; 100: 1329–1336.

Bidirectional association between parental child-feeding practices and body mass index at 4 and 7 y of age. *Am J Clin Nutr* 2016; 103: 861–867.

Bi-directional associations between child fussy eating and parents' pressure to eat: who influences whom? *Physiol Behav* 2017; 176: 101–106.

'Finish your soup': counterproductive effects of pressuring children to eat on intake and affect. *Appetite* 2006; 46: 318–323.

(4) Feeding practices and child weight: is the association bidirectional in preschool children? *Am J Clin Nutr* 2014; 100: 1329–1336.

Bidirectional association between parental child-feeding practices and body mass index at 4 and 7 y of age. *Am J Clin Nutr* 2016; 103: 861–867.

Child adiposity and maternal feeding practices: a longitudinal analysis. *Am J Clin Nutr* 2010; 92: 1423–1428.

Controlling feeding practices: cause or consequence of early child weight? *Pediatrics* 2008; 121: e164–e169.

Bi-directional associations between child fussy eating and parents' pressure to eat: who influences whom? *Physiol Behav* 2017; 176: 101–106.

(5) Parental use of restrictive feeding practices and child BMI z-score. A 3-year prospective cohort study. *Appetite* 2010; 55: 84–88.

(6) Child adiposity and maternal feeding practices: a longitudinal analysis. *Am J Clin Nutr* 2010; 92: 1423–1428.

Feeding practices and child weight: is the association bidirectional in preschool children? *Am J Clin Nutr* 2014; 100: 1329–1336.

Bidirectional association between parental child-feeding practices and body mass index at 4 and 7 y of age. *Am J Clin Nutr* 2016; 103: 861–867.

Testing the direction of effects between child body composition and restrictive feeding practices: results from a population-based cohort. *Am J Clin Nutr* 2017; 106: 783–790.

(7) Restricting access to palatable foods affects children's behavioral response, food selection, and intake. *Am J Clin Nutr* 1999; 69: 1264–1272.

(8) The home environment shapes emotional eating. *Child Dev* 2018.

- (9) Emotional feeding and emotional eating: reciprocal processes and the influence of negative affectivity. *Child Dev* 2018.
- (10) Eating as the “means” activity in a contingency: effects on young children’s food preference. *Child Dev* 1984; 55: 431–439.
Effect of a means-end contingency on young children’s food preferences. *J Exp Child Psychol* 1992; 53: 200–216.
- (11) Development of the responsiveness to child feeding cues scale. *Appetite* 2013; 65: 210–219.
- (12) Whole cow’s milk in infancy. *Paediatr Child Health (Oxford)* 2003; 8: 419–421.
- (13) Information concerning the use and marketing of follow-up formula. *World Health Organization* 2013. (オンライン情報、2018年2月アクセス)

【第8章】

- (1) The importance of exposure for healthy eating in childhood: a review. *J Hum Nutr Diet* 2007; 20: 294–301.
Early influences on the development of food preferences. *Curr Biol* 2013; 23: R401–R408.
- (2) Age and gender differences in children’s food preferences. *Br J Nutr* 2005; 93: 741–746.
- (3) Effects of starting weaning exclusively with vegetables on vegetable intake at the age of 12 and 23 months. *Appetite* 2014; 81: 193–199.
Effects of repeated exposure to either vegetables or fruits on infant’s vegetable and fruit acceptance at the beginning of weaning. *Food Qual Prefer* 2013; 29: 157–165.
Breastfeeding and experience with variety early in weaning increase infants’ acceptance of new foods for up to two months. *Clin Nutr ESPEN* 2008; 27: 849–857.
- (4) An exploratory trial of parental advice for increasing vegetable acceptance in infancy. *Br J Nutr* 2015; 114: 328–336.
- (5) Development of healthy eating habits early in life. Review of recent evidence and selected guidelines. *Appetite* 2011; 57: 796–807.
Children’s acceptance of new foods at weaning. Role of practices of weaning and of food sensory properties. *Appetite* 2011; 57: 812–815.

- Impacts of in utero and early infant taste experiences on later taste acceptance: a systematic review. *J Nutr* 2015; 145: 1271–1279.
- (6) The Composition of Foods (7th Edition). *Public Health England* 2014.
- (7) Your pregnancy and baby guide: Drinks and cups for babies and toddlers. *NHS Choices* 2015. (オンライン情報、2018年2月アクセス)
- (8) Diet and Nutrition Survey of Infants and Young Children, 2011. *Department of Health and Food Standards Agency*. (オンライン情報、2018年2月アクセス)
- (9) Complementary feeding: a position paper by the European Society for Paediatric Gastroenterology, Hepatology, and Nutrition (ESPGHAN) committee on nutrition. *J Pediatr Gastroenterol Nutr* 2017; 64: 119–132.
- (10) Draft feeding in the first year of life report. Scientific consultation: 19 July to 13 September 2017. *SACN* 2017. (オンライン情報、2018年2月アクセス)
- (11) Complementary feeding: a position paper by the European Society for Paediatric Gastroenterology, Hepatology, and Nutrition (ESPGHAN) committee on nutrition. *J Pediatr Gastroenterol Nutr* 2017; 64: 119–132.
- (12) SACN Salt and health. *The Stationery Office* 2003. (オンライン情報、2018年2月アクセス)
- (13) The development of salty taste acceptance is related to dietary experience in human infants: a prospective study. *Am J Clin Nutr* 2012; 95: 123–129.
- (14) Energy and nutrient intakes of young children in the UK: findings from the Gemini twin cohort. *Br J Nutr* 2016; 115: 1843–1850.
- (15) National Diet and Nutrition Survey: results from years 1-4 (combined) of the rolling programme (2008/2009–2011/12). Executive Summary. *Public Health England* 2014. (オンライン情報、2018年2月アクセス)
- (16) Resurrection of vitamin D deficiency and rickets. *J Clin Invest* 2006; 116: 2062–2072.
- (17) Vitamin D effects on musculoskeletal health, immunity, autoimmunity, cardiovascular disease, cancer, fertility, pregnancy, dementia and mortality – a review of recent evidence. *Autoimmun Rev* 2013; 12: 976–989.
- (18) Vitamin A. *NHS Choices* 2017. (オンライン情報、2018年2月アクセス)

- (19) Global Prevalence of Vitamin A deficiency in populations at risk 1995-2005: WHO global database on Vitamin A deficiency. *World Health Organization* 2009. (オンライン情報、2018年2月アクセス)
- (20) Vitamin C and immune function. *Nutrients* 2017; 9: 1211.
- (21) Tolerable upper intake levels for vitamins and minerals. *European Food Safety Authority* 2006. (オンライン情報、2018年2月アクセス)
- (22) Iron deficiency anemia. *Med Clin North Am* 2017; 101: 319–332.

【第9章】

- (1) The importance of exposure for healthy eating in childhood: a review. *J Hum Nutr Diet* 2007; 20: 294–301.
- (2) Effects of repeated exposure on acceptance of initially disliked vegetables in 7-month old infants. *Food Qual Prefer* 2007; 18: 1023–1032.
- (3) SACN Advice on fish consumption: benefits and risks. *The Stationery Office* 2004. (オンライン情報、2018年2月アクセス)

【PART 4】

- (1) Changes in the weight status of children between the first and final years of primary school. *Public Health England* 2017. (オンライン情報、2018年2月アクセス)
- (2) Predicting adult obesity from childhood obesity: a systematic review and meta-analysis. *Obes Rev* 2016; 17: 95–107.
- (3) Psychological consequences of childhood obesity: psychiatric comorbidity and prevention. *Adolesc Health Med Ther* 2016; 7: 125–146.
- (4) Childhood obesity as a predictor of morbidity in adulthood: a systematic review and meta-analysis. *Obes Rev* 2016; 17: 56–67.

【第 10 章】

- (5) Energy and nutrient intakes of young children in the UK: findings from the Gemini twin cohort. *Br J Nutr* 2016; 115: 1843–1850.
- (6) Dietary reference values for food energy and nutrients for the United Kingdom: Report on Health and Social Subjects no. 41. *Committee on Medical Aspects of Food Policy* 1991.
- (7) Protein intake during the period of complementary feeding and early childhood and the association with body mass index and percentage body fat at 7 y of age. *Am J Clin Nutr* 2007; 85: 1626–1633.
- (8) High protein intake in young children and increased weight gain and obesity risk. *Am J Clin Nutr* 2016; 103: 303–304.
- (9) Dietary protein intake is associated with body mass index and weight up to 5 y of age in a prospective cohort of twins. *Am J Clin Nutr* 2016; 103: 389–397.
- (10) Dairy protein in the post-weaning phase is positively associated with BMI and weight up to five years of age. *Appetite* 2015; 87: 398.
- (11) Dietary intake of young twins: nature or nurture? *Am J Clin Nutr* 2013; 98: 1326–1334.
- Energy and nutrient intakes of young children in the UK: findings from the Gemini twin cohort. *Br J Nutr* 2016; 115:1843–1850.
- (12) SACN Carbohydrates and health. *The Stationery Office* 2015. (オンライン情報、2018年2月アクセス)
- (13) 同上。
- (14) The Composition of Foods (7th Edition). *Public Health England* 2014.
- (15) Effects of saturated fatty acids on serum lipids and lipoproteins: a systematic review and regression analysis. *World Health Organization* 2016. (オンライン情報、2018年2月アクセス)
- (16) Fibre and prevention of chronic diseases. *BMJ* 2011; 343.
- (17) SACN Salt and health. *The Stationery Office* 2003. (オンライン情報、2018年2月アクセス)
- (18) Nutrition requirements. *British Nutrition Foundation* 2016. (オンライン情報、2018年2月アクセス)
- (19) Salt intakes around the world: implications for public health. *Int J of Epidemiol* 2009; 38: 791–813.

- (20) The development of salty taste acceptance is related to dietary experience in human infants: a prospective study. *Am J Clin Nutr* 2012; 95: 123–129.
- (21) About Change4Life. *Change4Life*. (オンライン情報、2018年2月アクセス)
- (22) Eatwell guide. *Public Health England* 2016. (オンライン情報、2018年2月アクセス)
- (23) Determinants of fruit and vegetable consumption among children and adolescents: a review of the literature. Part I: quantitative studies. *Int J Behav Nutr Phys Act* 2006; 3: 22.
- (24) #rethinktoddlerportionsizes. Infant & Toddler Forum. (オンライン情報、2018年2月アクセス)
- (25) Children eat what they are served: the imprecise regulation of energy intake. *Appetite* 2005; 44: 273–282.
- (26) Children's bite size and intake of an entrée are greater with large portions than with age-appropriate or self-selected portions. *Am J Clin Nutr* 2003; 77: 1164–1170.
- (27) Children eat what they are served: the imprecise regulation of energy intake. *Appetite* 2005; 44: 273–282.
- (28) Infant self-regulation of breast milk intake. *Acta Paediatr Scand* 1986; 75: 893–898.
- (29) Portion, package or tableware size for changing selection and consumption of food, alcohol and tobacco. *Cochrane Database Syst Rev* 2015: CD011045.
- (30) Overweight very young children consume larger meals. *European Association for the Study of Obesity (conference abstract for the 2016 European Obesity Summit)* 2016.
- (31) Meal size is a critical driver of weight gain in early childhood. *Sci Rep* 2016; 6: 28368.

【第11章】

- (1) A systematic review of responsive feeding and child obesity in high-income countries. *J Nutr* 2011; 141: 495–501.

The role of responsive feeding in overweight during infancy and toddlerhood: a systematic review. *Int J Obes* 2011; 35: 480–492.

- (2) Systematic review of randomised controlled trials of interventions that aim to reduce the risk, either directly or indirectly, of overweight and obesity in infancy and early childhood. *Matern Child Nutr* 2016; 12: 24–38.
- (3) The NOURISH randomised control trial: positive feeding practices and food preferences in early childhood – a primary prevention program for childhood obesity. *BMC Public Health* 2009; 9: 387.
- (4) Child eating behavior outcomes of an early feeding intervention to reduce risk indicators for child obesity: the NOURISH RCT. *Obesity* 2014; 22: e104– e111.
- (5) Child dietary and eating behavior outcomes up to 3.5 years after an early feeding intervention: The NOURISH RCT. *Obesity* 2016; 24: 1537–1545.
- (6) Outcomes of an early feeding practices intervention to prevent childhood obesity. *Pediatrics* 2013; 132: e109–e118.
- (7) A perspective on family meals. Do they matter? *Nutr Today* 2005; 40: 261–266.
- (8) Is frequency of shared family meals related to the nutritional health of children and adolescents? *Pediatrics* 2011; 127: e1565–e1574.
- (9) Characteristics of family mealtimes affecting children’s vegetable consumption and liking. *J Am Diet Assoc* 2011; 111: 269–273.
- (10) A systematic review of the effect of breakfast on the cognitive performance of children and adolescents. *Nutr Res Rev* 2009; 22: 220–243.
- (11) Systematic review demonstrating that breakfast consumption influences body weight outcomes in children and adolescents in Europe. *Crit Rev Food Sci Nutr* 2010; 50: 113–119.
- (12) Appetite and growth: a longitudinal sibling analysis. *JAMA Pediatr* 2014; 168: 345–350.
- Prospective associations of appetitive traits at 3 and 12 months of age with body mass index and weight gain in the first 2 years of life. *BMC Pediatr* 2015; 15: 153.
- Do maternal ratings of appetite in infants predict later Child Eating Behaviour Questionnaire scores and body mass index? *Appetite* 2010; 54: 186–190.
- (13) Appetitive traits and food intake patterns in early life. *Am J Clin Nutr* 2016; 103: 231–235.

- (14) Hormonal regulators of appetite. *Int J Pediatr Endocrinol* 2009; 141753.
- (15) A systematic review and meta-analysis examining the effect of eating rate on energy intake and hunger. *Am J Clin Nutr* 2014; 100: 123–151.
- (16) Glycaemic response to foods: impact on satiety and long-term weight regulation. *Appetite* 2007; 49: 535–553.
Glycaemic index, appetite and body weight. *Proc Nutr Soc* 2010; 69: 199–203.
- (17) The non-advertising effects of screen-based sedentary activities on acute eating behaviours in children, adolescents, and young adults. A systematic review. *Appetite* 2013; 71: 259–273.
- (18) Effect of television advertisements for foods on food consumption in children. *Appetite* 2004; 42: 221–225.
Children’s food preferences: Effects of weight status, food type, branding and television food advertisements (commercials). *Int J Pediatr Obes* 2008; 3: 31–38.
Beyond-brand effect of television (TV) food advertisements/commercials on caloric intake and food choice of 5-7-year-old children. *Appetite* 2007; 49: 263–267.
Beyond-brand effect of television food advertisements on food choice in children: the effects of weight status. *Public Health Nutr* 2008; 11: 897–904.
- (19) Improving preschoolers’ self-regulation of energy intake. *Pediatrics* 2000; 106: 1429–1435.
- (20) Appetitive traits and food intake patterns in early life. *Am J Clin Nutr* 2016; 103: 231–235.
- (21) Restricting access to palatable foods affects children’s behavioral response, food selection, and intake. *Am J Clin Nutr* 1999; 69: 1264–1272.
- (22) Parenting styles, feeding styles, feeding practices, and weight status in 4–12 year-old children: a systematic review of the literature. *Front Psychol* 2015; 6: 1849.
- (23) Picky/fussy eating in children: review of definitions, assessment, prevalence and dietary intakes. *Appetite* 2015; 95: 349–359.
- (24) Prevalence of picky eaters among infants and toddlers and their caregivers’ decisions about offering a new food. *J Am Diet Assoc*

2004; 104: S57–S64.

(25) Associations between children’s appetitive traits and maternal feeding practices. *J Am Diet Assoc* 2010; 110: 1718–1722.

Maternal feeding practices and fussy eating in toddlerhood: a discordant twin analysis. *Int J Behav Nutr Phys Act* 2016; 13: 81.

(26) The role of infant appetite in extended formula feeding. *Arch Dis Child* 2015; 100: 758–762.

(27) Increasing food acceptance in the home setting: a randomized controlled trial of parent-administered taste exposure with incentives. *Am J Clin Nutr* 2012; 95: 72–77.

(28) Parent-administered exposure to increase children’s vegetable acceptance: a randomized controlled trial. *J Acad Nutr Diet* 2014; 114: 881–888.